

## PNEUMONIA ORDERS

Page 1 of 2

DATE \_\_\_\_\_ Time \_\_\_\_\_

1. **Admit** to Service of \_\_\_\_\_  Notify in am  
 Case Management Assignment Protocol
2. **Allergies:** \_\_\_\_\_
3. **Admit to:**  ICU  Telemetry  Unmonitored Bed
4. **Diagnosis:**  Pneumonia  
Additional Diagnoses: \_\_\_\_\_
5. **Condition:**  Stable  Serious  Guarded
6. **Code Status:**  Full  DNR/DNAR  Initiate Comfort Care Protocol
7. **Nursing Documentation:**  Vital Signs per unit protocol  Other \_\_\_\_\_  
 Daily Weights (kg) / I&O and record on admission and daily.
8. **IV:**  Saline lock or IV fluids: \_\_\_\_\_
9. **Activity:**  Bedrest with BRP  As tolerated  Fall precautions
10. **Diet:**  Cardiac Select  2 gm Sodium  Mechanical Soft  Other \_\_\_\_\_  
 ADA / calories \_\_\_\_\_  Calorie \_\_\_\_\_
11. **Fluids:**  No Fluid Restriction  Fluid Restriction \_\_\_\_\_ ml/day  Encourage Fluids
12. **Medication Choices:**  
 Pharmacy to dose all medication for creatinine clearance.  
  
Antibiotic Therapy:  
 Ceftriaxone (Rocephin) 1 gram IV every 24 hours **and** Doxycycline 100mg every 12 hours  Orally  IV  
 Levaquin 500mg every day  Orally  IV  
 Other \_\_\_\_\_  
 Other \_\_\_\_\_  
  
Fever/Pain:  Acetaminophen 650 mg orally every 4 hours prn temp greater than 100.5 F or mild pain / headache not to exceed 4 gms/24 hrs  
 Other \_\_\_\_\_  
  
GI:  Protonix 40mg every day  Orally  IV  
  
Constipation:  Milk of Magnesia 1-4 tablespoons orally every day – titrate to soft stools  
 Other \_\_\_\_\_  
  
Sleep:  Ambien 5-10 mg orally PRN Insomnia  Other \_\_\_\_\_  
  
DVT Prophylaxis:  Sequential Compression Devices  Other \_\_\_\_\_

Continued on page 2



## PNEUMONIA ORDERS

Page 2 of 2

Other Medication:  ASA 81mg PO every day

Other : \_\_\_\_\_

Other : \_\_\_\_\_

Other : \_\_\_\_\_

Other : \_\_\_\_\_

Other : \_\_\_\_\_

Other : \_\_\_\_\_

14. **Diagnostic Studies:**  PA and lateral CXR or  Portable CXR  EKG

15. **Admit Lab:**  Blood Cultures x2, 15 minutes apart from different sites, prior to antibiotics

CBC  CMP  Magnesium  TSH  BMP or  Renal panel

UA  UA with C&S if indicated  BNP  PT/PTT  Digoxin level  Uric Acid

Sputum gram stain and culture. If patient not able to provide sample within 15 minutes, RT to induce with 2.5 mg Albuterol in 2.5cc normal saline. If patient cannot provide a sample within 30 minutes, consider nasal tracheal suction.

Other \_\_\_\_\_

16. **Lab in AM:** \_\_\_\_\_

17. **Respiratory:**  O2 per protocol  O2 \_\_\_\_\_

SVN with Albuterol + 2.5 mg QID / PRN or  SVN with/2.5 mg Albuterol + 0.5 mg Atrovent QID / PRN

Spiriva 1 click every am  Advair 100/50 1 click every am or  Advair 250/50 1 click every am

Other: \_\_\_\_\_

Secretion Clearance:  Vest  PD&P

Suction prn or per patient comfort.

18. **Assessments/Consultations:**

Speech Evaluation  Dietary  PT  OT  Other \_\_\_\_\_

Smoking cessation counseling/education if patient smoked in last year

19. **Discharge planning:**

Case Management for discharge planning

\_\_\_\_\_  
Physician's Signature

\_\_\_\_\_  
Date/Time

